

FIG. 1







FIG. 2

FIG. 3

[MEDIA] ::= (" MOV " | " IMG " | " AUD " | " PLF ")

FIG. 4

Clock-value	::= (Full-clock-value Partial-clock-value Timecount-value)
Full-clock-value	::= Hours ":" Minutes ":" Seconds ("." Fraction) ?
Partial-clock-value	::= Minutes ":" Seconds ("." Fraction) ?
Timecount-value	::= Timecount ("." Fraction) ? (Metric) ?
Hours	::= DIGIT+; any positive number
Minutess	::= 2DIGIT; range from 00 to 59
Seconds	::= 2DIGIT; range from 00 to 59
Timecount	::= DIGIT+
2DIGIT	::= DIGIT DIGIT
DIGIT	::= [0-9]

FIG. 5

The diagram consists of a large horizontal curly brace on the left side, spanning the height of the XML code block. To the right of the brace, the XML code is displayed. The code starts with an opening <COLLECTION > tag, followed by two <MOV > tags. The first <MOV > tag has attributes src="MOV_0001.MPG", id="MOV_0001", type="movie", dur="00:10.05", and linkCount="2". The second <MOV > tag has attributes src="MOV_0002.MPG", id="MOV_0002", type="movie", and dur="00:07.15". The code ends with a closing </COLLECTION > tag.

```
<COLLECTION >  
  <MOV src="MOV_0001.MPG" id="MOV_0001" type="movie" dur="00:10.05" linkCount="2" />  
  <MOV src="MOV_0002.MPG" id="MOV_0002" type="movie" dur="00:07.15" />  
</COLLECTION >
```

FIG. 6

```
< smil >
< body >
< par >
< seq >
  < video src = '/ VIDEO / MOV00010 / MOV00010.4C#xpointer ( // MOV[@id = "MOV_0001"] )' / >
  < video src = '/ VIDEO / MOV00020 / MOV00020.4C#xpointer ( // MOV[@id = "MOV_0001"] )' / >
< / seq >
< seq >
  < audio src = '/ AUDIO / AUD00010 / AUD00010.4C#xpointer ( // AUD[@id = "AUD_0001"] )' / >
< / seq >
< / par >
< / body >
< / smil >
```


FIG. 7


FIG. 8

FIG. 9





FIG. 10


FIG. 11

FIG. 12




FIG. 13

```
<COLLECTION >
<GROUP GROUP_NAME = "/VIDEO / MOV00010" >
  < MOV src=" MOV_0001.MPG" id = " MOV_0001" type = " movie" dur = " 00:10.05" linkCount=" 2" />
  < MOV src=" MOV_0002.MPG" id = " MOV_0002" type = " movie" dur = " 00:07.15" />
</GROUP >
<GROUP GROUP_NAME = "/AUDIO / AUD00010" >
  < AUD src=" AUD_0001.MPG" id = " AUD_0001" type = " audio" dur = " 00:10.05" linkCount=" 1" />
</GROUP >
</COLLECTION >
```

FIG. 14




FIG. 15

